
# Object Oriented PHP

CSC443: Web Programming

### Why use classes and objects?

- □ PHP is a primarily procedural language
- small programs are easily written without adding any classes or objects
- □ larger programs, however, become cluttered with so many disorganized functions
- grouping related data and behavior into objects helps manage size and complexity



## Constructing and using objects

```
# construct an object
$name = new ClassName(parameters);
# access an object's field (if the field is public)
$name->fieldName
# call an object's method
$name->methodName(parameters);
PHP
```

```
$zip = new ZipArchive();
$zip->open("moviefiles.zip");
$zip->extractTo("images/");
$zip->close();
PHP
```

- □ the above code unzips a file
- test whether a class is installed with class\_exists

CSC443: Web Programming

#### Object example: Fetch file from web

# create an HTTP request to fetch student.php
\$req = new HttpRequest("student.php", HttpRequest::METH\_GET);
\$params = array("first\_name" => \$fname, "last\_name" => \$lname);
\$req->addPostFields(\$params);
# send request and examine result
\$req->send();
\$http\_result\_code = \$req->getResponseCode(); # 200 means OK
print "\$http\_result\_code\n";
print \$req->getResponseBody();

PHP

□ PHP's HttpRequest object can fetch a document from the web

CSC443: Web Programming

### Class example

```
<?php
class Point {
        public $x;
        public $v;
        # equivalent of a Java constructor
        public function __construct($x, $y) {
                 \frac{\pi}{x} = x;
                 $this->y = $y;
        public function distance($p) {
                 dx = \frac{-x}{y} - \frac{-x}{y}
                 dy = \frac{y-y}{y-y}
                 return sqrt($dx * $dx + $dy * $dy);
        # equivalent of Java's toString method
        public function toString() {
                 return "(" . $this->x . ", " . $this->y . ")";
                                                                       PHP
} ?>
```

#### Class declaration syntax

```
class ClassName {
    # fields - data inside each object
    public $name; # public field
    private $name; # private field
    # constructor - initializes each object's state
    public function __construct(parameters) {
        statement(s);
        }
    # method - behavior of each object
    public function name(parameters) {
        statements;
    }
}
```

 inside a constructor or method, refer to the current object as \$this

CSC443: Web Programming

### Class usage example

```
<?php
# this code could go into a file named use_point.php
include("Point.php");
$p1 = new Point(0, 0);
$p2 = new Point(4, 3);
print "Distance between $p1 and $p2 is " . $p1->distance($p2) .
"\n\n";
var_dump($p2); # var_dump prints detailed state of an object
?>
PHP
```

```
Distance between (0, 0) and (4, 3) is 5
object(Point)[2]
public 'x' => int 4
public 'y' => int 3

PHP
```

CSC443: Web Programming CSC443: Web Programming

#### Basic inheritance

```
class ClassName extends ClassName {
    ...
}
```

```
class Point3D extends Point {
    public $z;
    public function __construct($x, $y, $z) {
        parent::_construct($x, $y);
        $this->z = $z;
    }
    ...
}
```

 The given class will inherit all data and behavior from ClassName

CSC443: Web Programming

#### Abstract classes and interfaces

11

```
interface InterfaceName {
public function name(parameters);
public function name(parameters);
...
}
class ClassName implements InterfaceName { ...
PHP
```

```
abstract class ClassName {
    abstract public function name(parameters);
    ...
}
```

#### Static methods, fields, and constants

10

```
ClassName::methodName(parameters); # calling a static method (outside class)
self::methodName(parameters); # calling a static method (within class)
```

 static fields/methods are shared throughout a class rather than replicated in every object

CSC443: Web Programming

#### Abstract classes and interfaces

12

- □ interfaces are supertypes that specify method headers without implementations
  - cannot be instantiated; cannot contain function bodies or fields
  - enables polymorphism between subtypes without sharing implementation code
- abstract classes are like interfaces, but you can specify fields, constructors, methods
  - also cannot be instantiated; enables polymorphism with sharing of implementation code